

CERTIFICATE OF CONFORMITY

This certificate serves to verify that the following chemical product:

Quicksan (E) -Surface Sanitiser

was submitted for testing by:

SA Polichem

in respect of testing against the following:

Chemical disinfectants and antiseptics. Quantitative Suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas. Test method and requirements (phase 2, step 1) (BS EN 1276:2019)

Report Reference: **CCT2401 -EN1276** - the submitted sample conforms.

SANS 1853 :2020

4.2 Raw materials; **The product formulation was assessed for:**

Toxicological Safety for Use in Direct Food Contact Applications

Report Reference: **LEIC-CHE-TRAG-30** - conforms if used as directed.

4.3 Perfumes

4.4 Disinfectants, detergent-disinfectants and antiseptics for use in the food industry

Certificate No:
2010IS/TS/170

Date of issue:
09 August 2024

Valid until:
10 August 2027


Zonjca Horn
Technical Manager
Business Assurance and Food Services – Sub Saharan Africa

Issued by:
Intertek, PO Box 12445, Aston Manor, 1630, South Africa
www.intertek.com

This Certificate of Conformance is only valid if

- the relevant Intertek Laboratory Test Report Reference Numbers are quoted.
- is subject to any condition or limitation contained therein.
- is identified by the applicable certificate number.
- Intertek can't provide legally binding assessments referring to isolated cases.

